



PHOTO ELECTRONICS

## PRIMARC EQUIVALENT UV CURING LAMPS

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
10			882	30	
18			645	30	HS version available
20	S	WALLACE KNIGHT	560	120	
24		ST 3000	430	20	
25	S	WALLACE KNIGHT	686	100	
26	(*)		876	50	HS version arc mm.882
28	S	WALLACE KNIGHT	762	120	
38	(*)	COLIGHT 48-106	824	60	
44			1385	20	
46	S	WALLACE KNIGHT	1220	100	
49	S	WALLACE KNIGHT	1296	100	
50		HANOVIA 17053	1422	40	
58		AARQUE	1422	50	
60		HANOVIA 15747	1432	20	
62			663	40	
70			145	80	
72			222	80	
80	(*)		918	40	
92			48	120	
106	HS	OCE 98	1453	30	
116	HS		245	100	
118	HS		260	190	
138			225	80	
144			653	40	
154	HS		1422	40	
166			40	90	
172	(*)		1422	40	
174			1414	20	
200		TOSHIBA H2000 U.6	242	90	SANJO
201	(*)	TOSHIBA	260	120	
204		CLAUDE	1066	80	
210		CLAUDE	211	90	L version available
212			1422	50	
224		CLAUDE 30018A	468	110	
227		CLAUDE	804	120	
244			1502	60	
258	HS		1453	30	
268	HS	AARQUE	1423	40	
278	BAR	METALBOX	170	90	
284			610	70	
286		HERAEUS Q-2023	202	100	GALLUS R160B/T 180B/Q 33
287		HERAEUS Q-2426	235	100	GALLUS NEW 200
288		HERAEUS Q-3523	350	110	GALLUS 250
290	(*)	AARQUE	1422	40	
298			145	120	
300		CLAUDE	256	100	
301		HERAEUS Q-7323	730	100	
302		HERAEUS	1004	110	
303		HERAEUS	1258	110	
304		HERAEUS	1446	110	
305		HERAEUS	1298	90	
306		HERAEUS	673	110	
307		HERAEUS	1051	100	

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
308			1406	20	
309		HERAEUS Q-11023	1100	110	
324		TOSHIBA P1200	245	90	
330			222	120	
342	BAR	METALBOX	270	130	
343	BAR	METALBOX	270	130	
346	HS		1375	40	
352	M		254	120	
376			222	80	
377		SYLVANIA UHA 209B	250	70	NILPETER B200 (LONG VERSION)
378		SYLVANIA UHA 220B	220	80	NILPETER B200
379			257	120	
384		WALLACE KNIGHT	1016	150	
385		WALLACE KNIGHT	1016	180	
386		AARQUE	1390	20	
400		ST.1000	180	20	
401			1933	30	
402	HS		145	80	
403	BAR	METALBOX	345	160	
404		WALLACE KNIGHT	1066	150	
407			222	40	
409	(*)	HANOVIA 6413 A100	330	110	
411	BAR	METALBOX	345	90	
412			454	120	
413		AARQUE A.026.K	1393	30	
418	(*)	AARQUE A.032.Q	340	20	
420		NIMBUS	105	40	
421		USHIO UVL2000	210	90	KO-PACK (INTERCOLOUR)
426	BAR	METALBOX	170	210	
428		NIMBUS	40	100	
432		REGMA	1329	40	
439		TOSHIBA H3000.L/21	250	120	
441			66	90	
443	HS	MINICURE SPECIAL 6"	145	80	
444		REGMA	1412	30	
446	LKW	GALLUS NEW 250B	300	60	HkW version 80W/cm avail.
449		PM72 HALIDE	222	80	
450	HS		1339	40	Meteor Siegn version available
451	HS	EUROLABO	1323	20	
452		XENON METALBOX	210	90	
453			665	80	
454			870	70	
455			1220	70	
456			1570	70	
457		EUROLABO	1323	30	
494		WALLACE KNIGHT	1296	150	
499		WALLACE KNIGHT	1068	120	
500	M	WALLACE KNIGHT	218	80	
505		WALLACE KNIGHT	342	80	
506	(*)	INSULAPACK	151	80	L version available
508	L	MAZDA	211	90	HANOVIA type arc 201mm 70W/cm
510	M	WALLACE KNIGHT	424	80	
512		HANOVIA	316	80	

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
514	M		892	100	
515	(*)	WALLACE KNIGHT	625	80	
516	M	WALLACE KNIGHT	632	100	
520		WALLACE KNIGHT	692	80	
530	M	WALLACE KNIGHT	1312	80	
535	M	WALLACE KNIGHT	1488	80	
542		HANOVIA	1066	70	
544		WALLACE KNIGHT	1423	150	
545	M	WALLACE KNIGHT	1032	80	
548		HANOVIA 6548 A431	1230	80	
550	M	WALLACE KNIGHT	1152	80	
560	M	WALLACE KNIGHT	167	80	
561			1312	80	
565	M	WALLACE KNIGHT	572	80	
570		WALLACE KNIGHT	818	80	
575		WALLACE KNIGHT	1666	80	
577	OF	HANOVIA	1970	80	
585	M	WALLACE KNIGHT	1082	80	
600	M	WALLACE KNIGHT	218	120	
610	M	WALLACE KNIGHT	292	80	
615	M	WALLACE KNIGHT	769	70	
630			769	80	
635		WALLACE KNIGHT	510	80	
640		WALLACE KNIGHT	1119	80	
642		W.R.	1118	100	
643		WALLACE KNIGHT	1373	100	
645		WALLACE KNIGHT	815	80	
646		W.R.	815	100	
651		HANOVIA	282	70	
655			666	80	
656		ICI (PM705)	646	80	
660		WALLACE KNIGHT	1412	80	
665		HANOVIA 6550.A.431	1269	80	
668		CMB	1230	80	
670		HANOVIA 6555.A.431	1419	80	MAZDA L version available
671	(*)	HANOVIA	1524	80	MAZDA L version available
680		HANOVIA	217	100	
681		HANOVIA	282	100	
682		HANOVIA	316	110	
685		HANOVIA	1269	110	
695	M	WALLACE KNIGHT	1488	100	
700	M	WALLACE KNIGHT	646	70	
705		HANOVIA 6525.A.431	646	70	MAZDA L version available
709		QMCY 25125	124	170	
710	M (*)	WALLACE KNIGHT	1883	80	
711		IST AKX 1200	1200	120	
712		IST QMAX 850	842	120	
713		IST T550K	540	120	
716		IST 730	730	120	
717		IST M400U	389	100	
718		IST AKX 1100	1093	120	
719		IST AKX 700	694	120	
721		AL/IST	1294	120	
722		IST	596	120	
723		W.K. / IST	1000	120	
724		IST	975	80	
725		IST	1020	80	
726		IST	294	120	

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
728		IST	1400	80	
729		IST	551	120	
730		IST	1000	130	
731		IST	1388	100	
732		IST	444	70	
733		IST	1388	120	
734		IST	995	120	
735		IST	798	100	
736		IST	546	90	
737		IST	1192	80	
738	L	HANOVIA	976	80	
739		IST	1400	80	
745	SL		355	80	
750		WALLACE KNIGHT	340	120	
755	M	WALLACE KNIGHT	692	120	
759		WALLACE KNIGHT	457	120	
760		WALLACE KNIGHT	560	100	
762		WALLACE KNIGHT	560	120	
770		WALLACE KNIGHT	1066	80	
771		WALLACE KNIGHT	686	160	
774		LOW / HIGH KW	1066	120	ANCHE VERS. 160W/CM
775		WALLACE KNIGHT	762	100	
776		WALLACE KNIGHT	1372	140	
777		WALLACE KNIGHT	762	120	
780	(*)	WALLACE KNIGHT	955	120	
785		WALLACE KNIGHT	1372	80	
788		WALLACE KNIGHT	1372	100	
789		WALLACE KNIGHT	1372	120	
790		WALLACE KNIGHT	1473	100	
791		WALLACE KNIGHT	1066	100	
795		WALLACE KNIGHT	1220	80	
797		WALLACE KNIGHT	1220	100	
799		WALLACE KNIGHT	1423	120	
800		WALLACE KNIGHT	2083	100	
804		LOW / HIGH KW	1016	120	ANCHE VERS. 160W/CM
806		WALLACE KNIGHT	1473	120	SOSTITUISCE LA PM-807
808		WALLACE KNIGHT	1270	160	
810		WALLACE KNIGHT	1066	100	
812		WALLACE KNIGHT	1066	120	
814		WALLACE KNIGHT	1066	140	
815		WALLACE KNIGHT	280	80	
816		WALLACE KNIGHT	439	120	
820		WALLACE KNIGHT	1143	80	
823	(*)	WALLACE KNIGHT	1604	80	
824		WALLACE KNIGHT	1016	120	
825		WALLACE KNIGHT	1651	80	
826		WALLACE KNIGHT	1296	120	
830		WALLACE KNIGHT	762	80	
831		WALLACE KNIGHT	1880	90	
832		WALLACE KNIGHT	1981	100	
836	(*)	WALLACE KNIGHT	1298	80	
838		WALLACE KNIGHT	686	50	
839		WALLACE KNIGHT	1296	120	
840		WALLACE KNIGHT	559	80	
841		WALLACE KNIGHT	559	70	
842	(*)	WALLACE KNIGHT	550	110	
843		WALLACE KNIGHT	864	120	
844		WALLACE KNIGHT	560	160	

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
845		WALLACE KNIGHT	1473	80	
850		WALLACE KNIGHT	1016	80	
852		WALLACE KNIGHT	1101	120	
855		WALLACE KNIGHT	686	80	
856		WALLACE KNIGHT	230	100	
857		WALLACE KNIGHT	305	100	
859		WALLACE KNIGHT	610	120	
860		WALLACE KNIGHT	331	120	
862		WALLACE KNIGHT	610	100	
863		WALLACE KNIGHT	762	160	
864		WALLACE KNIGHT	711	160	
865		WALLACE KNIGHT	1651	100	
867		WALLACE KNIGHT	1601	120	
868		WALLACE KNIGHT	1651	120	
869		WALLACE KNIGHT	661	160	
880		WALLACE KNIGHT	813	80	
881		WALLACE KNIGHT	737	150	
885		WALLACE KNIGHT	1143	100	
888		WALLACE KNIGHT	1143	120	
890		WALLACE KNIGHT	280	100	
895		WALLACE KNIGHT	1296	100	
896		WALLACE KNIGHT	1702	100	
897		WALLACE KNIGHT	1473	60	
898		WALLACE KNIGHT	1296	120	
900		WALLACE KNIGHT	941	80	
901		WALLACE KNIGHT	941	100	
902		WALLACE KNIGHT	1016	120	
903		PHILIPS HOK 6	621	80	
905			1373	80	
907	(*)	COLOR DRY	1461	100	
908	(*)	COLOR DRY	1461	80	
909	(*)	COLOR DRY	1004	80	
910		WALLACE KNIGHT	331	100	
911	(*)	COLOR DRY	1299	100	
912		PHILIPS HOK 10	1041	80	
913		COLOR DRY	954	100	
914		COLOR DRY	1299	100	
915		WALLACE KNIGHT	686	120	
916		COLOR DRY	1079	100	
917	(*)	COLOR DRY	1004	100	
918		COLOR DRY	724	100	
919		HANOVIA 6577.A.431	1970	80	
920		WALLACE KNIGHT	280	120	
921		COLOR DRY	1439	100	
935		WALLACE KNIGHT	203	80	
936		WALLACE KNIGHT	203	120	
937		WALLACE KNIGHT	253	120	
938		WALLACE KNIGHT	203	100	
940		WALLACE KNIGHT	686	100	
942		WALLACE KNIGHT	813	100	
943		WALLACE KNIGHT	813	120	
944		WALLACE KNIGHT	940	120	
945			617	80	
950			1247	80	
955		G12519	1258	110	
960	(*)	WALLACE KNIGHT	772	120	
966		EVIL ELECT.	1419	80	
970		EVIL ELECT.	985	80	

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
975		WALLACE KNIGHT	1677	120	
978		WALLACE KNIGHT	559	40	
979		WALLACE KNIGHT	1143	60	
980		WALLACE KNIGHT	153	80	
981		WALLACE KNIGHT	153	100	
982		WALLACE KNIGHT	153	120	
983		WALLACE KNIGHT	102	100	
985		WALLACE KNIGHT	407	80	
986		WALLACE KNIGHT	864	100	
987		WALLACE KNIGHT	407	120	
988		WALLACE KNIGHT	1169	120	
990		WALLACE KNIGHT	1219	120	
991		WALLACE KNIGHT	331	80	
992		WALLACE KNIGHT	1016	100	
993		WALLACE KNIGHT	2083	80	
994		WALLACE KNIGHT	1169	100	
996		WALLACE KNIGHT	483	100	
997		WALLACE KNIGHT	483	120	
998		WALLACE KNIGHT	406	100	
999		W.R.	510	100	
1003		W.R.	1709	80	
1004	(*)	IST	1400	80	SOSTIT. LA PM-728
1005		COLOR DRY	1024	100	
1006		COLOR DRY	1024	120	
1007		COLOR DRY	293	100	
1008	(*)	COLOR DRY	1766	120	
1010	B	GROUP-UP	120	80	
1011	OF		125	40	
1012		COLITE	117	160	
1013	(*)		615	100	
1014		COLOR DRY	724	120	
1015	OF		122	40	
1017		PHILIPS HOK 14	1391	80	
1019		COLOR DRY	1079	120	
1020		COLOR DRY	800	80	
1023			297	80	
1025	(*)	COLOR DRY	504	80	
1026		COLOR DRY	919	100	
1027	(*)	MAZDA 6-200	152	80	
1028	M (*)	WALLACE KNIGHT	1450	80	
1029		COLOR DRY	1299	110	
1030	(*)	COLOR DRY	674	100	
1031		COLOR DRY	1112	120	
1034		COLOR DRY	2204	100	
1035		COLOR DRY	695	120	
1037	(*)	COLOR DRY	1299	100	
1038		W.R.	637	100	
1039	(*)		1004	120	
1040		COLOR DRY	1124	120	
1041		ANDA CIRCUITS-HAN.TYPE	640	80	
1043			614	80	
1044			550	90	
1046		COLOR DRY	504	120	
1047			508	60	
1048	(*)	COLOR DRY	776	100	
1049	(*)	COLOR DRY	136	120	
1050	(*)	COLOR DRY	899	100	
1051	(*)	COLOR DRY	776	120	

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
1052		W.R.	1119	120	
1053		W.R.	972	80	
1054		W.R.	972	120	
1058		NAT GRAPH	1473	100	
1059	(*)	NAT GRAPH	1170	120	
1060		NAT GRAPH	1018	120	
1061		COLOR DRY	1639	120	
1063		NAT GRAPH	1335	100	
1064	(*)	HANOVIA 6538.A.431	978	80	
1066	(*)	COLOR DRY	129	90	
1068		COLOR DRY	1439	120	
1070		COLOR DRY	1299	110	
1072	(*)	COLOR DRY	1270	120	
1073	(*)		1681	100	
1074		W.R.	1455	120	
1078	(*)	COLOR DRY	213	80	
1079		COLOR DRY	1159	120	
1080		COLOR DRY	1404	120	
1081			1758	100	
1082		W.R.	1373	120	
1084		W.R.	536	100	
1085	(*)	COLOR DRY	639	100	
1086	(*)	COLOR DRY	1562	100	
1087		COLOR DRY	639	120	
1088	(*)	COLOR DRY	1159	100	
1090	(*)	HANOVIA 6512.A.431	313	80	
1091		HANOVIA 6812.A.431	316	120	
1092	(*)	COLOR DRY	1124	100	
1093		PHILIPS HOK 8	800	80	
1094		W.R.	1227	120	
1095			1326	80	
1096		W.R.	1709	120	
1099	(*)	COLOR DRY	1868	100	
1100			575	90	
1101		COLOR DRY	654	130	
1102		W.R.	571	100	
1103			1640	70	
1104		COLOR DRY	724	140	
1105		COLOR DRY	919	120	
1106	(*)	COLOR DRY	1206	120	
1107			460	40	
1109		W.R.	1709	100	
1110		COLOR DRY	969	120	
1115		COLOR DRY	975	130	
1116	BAR	METAL BOX	435	120	
1118			461	120	
1119		COLOR DRY	1266	100	
1120		COLOR DRY	1264	120	
1121		W.R.	892	120	
1122		W.R.	1074	120	
1123			670	100	
1125	(*)	HANOVIA 6508.A.431	198	80	
1126	(*)	HANOVIA 6560.A.431	1532	80	
1127		COLOR DRY	416	120	
1132			1057	40	
1133			100	100	
1134	BAR	METAL BOX	525	80	
1135	BAR	METAL BOX	525	120	

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
1137		COLOR DRY	1604	120	
1138	(*)	COLOR DRY	724	80	
1139		W.R.	775	120	
1140	(*)	COLOR DRY	775	100	
1141		COLOR DRY	775	110	
1142		W.R.	1277	120	
1144		W.R.	777	100	
1147		COLOR DRY	724	120	
1148			244	80	
1150	BAR		626	60	
1151			618	90	
1155		COLOR DRY	664	120	
1156		AUTOVEYER	335	50	
1158		W.R.	972	100	
1159		AUTOVEYER	435	50	
1160		USHIO	306	160	
1161	BAR	EXPERIMENTAL WILLAND	626	90	
1162			1455	100	
1163	BAR	METAL BOX	270	190	
1164		COLOR DRY	2204	100	
1165		COLOR DRY	213	140	
1166		COLOR DRY	1724	120	
1167	BAR	METAL BOX	894	80	
1168			305	50	
1169		COLOR DRY	759	160	
1170		MAZDA 25/300	646	120	
1171		COLOR DRY	1439	120	
1172		COLOR DRY	522	120	
1173		QMCX 3020	196	150	
1174		COOPER/TURNER	1155	120	
1175			762	80	
1176			54	150	
1177		VOLTARC H84C/28AC	722	110	
1178		UVP	155	120	
1179		UVP	230	120	
1180		UVP	305	120	
1181		UVP	457	120	
1182		UVP	154	120	
1183		COLOR DRY	504	140	
1184			1066	110	
1185	OF	BOUGHT IN	290	210	
1186		HANOVIA 6820.A	507	110	
1187			400	80	
1188	BAR	METALBOX	95	210	
1189		HERAEUS Q 1223	155	130	KO-PACK 170/180 (bottom)
1190		HERAEUS Q 3226	206	120	KO-PACK 170/180 (top)
1192		UVP	722	110	
1193		USHIO UVH3000	154	190	
1194			355	120	
1195		UVP	180	120	
1196		AUTOVEYOR 22.5"	572	50	
1197		COLOR DRY(SPEC.FERRULE)	710	120	
1198		W.R.	1955	100	
1199		W.R.	1886	100	
1200		NATGRAPH	1728	120	
1201		COLOR DRY	454	120	

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
1202		CHSL32NL/PLM35/AM35X	270	120	
1203		NATGRAPH	957	120	
1204		DELTA AM44X	350	80	
1205		IDEAL QUARZ G11175	152	120	
1206		EYE M021-L31 (HG)	177	120	
1207		W.R.	1175	80	
1208		PHILIPS HOK80/80	785	80	
1209		ADNOS 395mm	399	100	
1210		HANOVIA 6542B431	1066	80	
1211		ULTRALIGHT 010	85	110	
1212		UVP	383	120	
1213		UVP	636	120	
1214		HERAEUS Q3123	310	100	NILPETER UHA280B
1215			275	80	
1218		HANOVIA 6815A431	363	120	
1219			617	140	VERSION OF PM-2068
1220		QMC 077	60	70	
1221		COLOR DRY	824	140	
1222		COLOR DRY	522	140	
1223		M01 - L212	127	120	
1224		QMCX 2015	143	120	
1225			2055	120	
1226			500	80	
1227		QMCX 1006	60	170	
1228		AVERY 907-1738.TCS	317	120	
1229		6-004-1	195	80	
1230		NATGRAPH	1885	120	
1231		WALLACE KNIGHT	305	80	
1232		ADNOS PL812	1066	120	
1233			196	100	
1234		HANOVIA 316BHX 12"	316	70	
1235		WAS PM MB 5001	220	180	
1236		HANOVIA 6518A431	468	80	
1237		MAZDA 12/300	316	120	
1238		CEFLA 54"	1390	80	
1240		QMCY 25125	124	170	
1241		CMB	1194	120	
1242		USHIO UVL 2400RS	260	90	
1243		CMB	1066	120	
1244		UVP	960	120	
1245		CLAUDE 200 12B	316	50	
1246		METAL BOX	1035	80	
1247		TOSHIBA H2800L2	351	110	
1248		CLAUDE 250 10B	253	100	
1249		IST M200U	196	80	
1250		IST M250S	245	80	
1251		COLOR DRY	975	130	
1252		ARIC 32/300	883	120	
1253		TOSHIBA H4000/L7	492	80	
1349		ADNOS	1090	110	
1352		COLOR DRY	254	120	
1353		COLOR DRY	279	110	
1354		COLOR DRY CD4001 with ceram.	721	120	
1512			424	100	
1910			637	80	
1997		COLOR DRY	643	80	
2000	L		1650	80	

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
2001		HANOVIA 6808.A.431	217	110	
2005			632	80	
2009		COLOR DRY	1302	120	
2010	(*)	COLOR DRY	695	100	B ver. Group-Up 250mm 80w/cm
2011		COLOR DRY	639	120	
2012		W.R.	387	100	
2014			468	90	
2015		HANOVIA 6506.A.431	148	80	
2016		HANOVIA 6825.A.431	646	110	
2019	(*)	HANOVIA 6848.A.431	1232	120	
2022			1230	80	
2023		HANOVIA 6532.A.431	824	80	
2024	(*)	COLOR DRY	1512	100	
2026		W.R.	897	80	
2027		W.R.	1175	120	
2028			1554	90	
2030		COLOR DRY	254	120	
2032	(*)	COLOR DRY	165	90	
2034	(*)	COLOR DRY	1453	80	
2037			265	80	
2049	(*)	COLOR DRY	1206	100	
2054	OF	SPOMTEX	439	80	
2055		COLOR DRY	724	120	
2056		USHIO UVL4000	250	170	KO-PACK (end of press)
2059		W.R.	718	120	
2061	(*)	COLOR DRY	1512	120	
2062		W.R.	718	120	
2064		HANOVIA	976	80	
2066	(*)	HANOVIA 6515.A.431	360	90	
2067		HANOVIA 6524.A.431	617	80	
2068		W.R.	617	120	
2069		HANOVIA 6806.A.431	151	110	
2070	(*)	COLOR DRY	1024	80	
2071			565	90	
2073		TOSHIBA H3000.I/21	250	120	
2074			716	80	
2075		W.R.	1201	120	
2076		IST AK 1400	1400	120	
2077	(*)	COLOR DRY	314	80	
2078		W.R.	1373	80	
2079	(*)	COLOR DRY	1266	120	
2082	(*)	COLOR DRY	2069	120	
2083		W.R.	820	120	
2086		W.R.	998	120	
2087	(*)	COLOR DRY	1387	120	
2089	(*)	COLOR DRY	724	120	
2090	(*)	COLOR DRY	504	130	
2091	(*)	COLOR DRY	699	120	
2092		W.R.	1023	120	
2096		W.R.	1175	100	
2097		COLOR DRY	1259	130	
2410	A	GROUP-UP	304	80	
3010	A	GROUP-UP	381	80	
3210	B	GROUP-UP	400	80	
3710	A	GROUP-UP	457	80	
4001		COLOR DRY	721	120	
4009		COLOR DRY	814	140	

Lamp Type	Suffix	Original Manufacturer	Arco Length (mm)	Watt /cm	NOTE
4010	C	GROUP-UP	480	80	
5001		COLOR DRY	1919	100	
5002		COLOR DRY	1404	120	
5003		COLOR DRY	1404	120	
5004		COLOR DRY	1439	120	
5005		COLOR DRY	1439	120	
5010	B	GROUP-UP	625	80	A Version available
7020	D	GROUP-UP	700	110	
7530	A1	GROUP-UP	625	120	A Version available
8010	A	GROUP-UP	1000	80	
8430	A	GROUP-UP	700	130	
9610	A	GROUP-UP	1238	80	